

# MicroTREK

MICROWAVE LEVEL TRANSMITTERS



- Most advanced method to measure the level of liquids and solids
- Measurement is independent of dielectric, temperature, pressure and density variations
- Turbulent product surface, dust, vapour and foam have no effect on results
- ♦ Length easy to modify without calibration
- Tight accuracy, repeatability and resolution
- Suitable to all tank forms
- ♦ Measuring range up to 24 m
- ♦ Medium temperature -50 °C ... +600 °C
- ◆ Pressure up to 40 bar
- Different probe types and materials
- Optional digital indicator


#### **ABOUT THE MICROTREK**

MicroTREK level gauge operates on the well known TDR (Time Domain Reflectometry) principle which is commonly used as a discontinuity test of cables.

Micropulses are sent along a probe guide at the velocity of light. As soon as the pulse reaches the product surface, it reflects back to the electronics. Since the velocity of light is a uniform fixed constant in air or gases, the MicroTREK does not require any calibration, commissioning or maintenance.

Distance is directly proportional to the flight time of the pulse divided by 2.


The TDR technology is unaffected by the properties of the medium as well as those of the space above it.




## TECHNICAL DATA (2-WIRE TDR INSTRUMENT)


Туре			Mono-rod	MONO-CABLE	TWIN CABLE	COAXIAL		
Range m/ feet			≤ 6 / 19.7	≤ 24 / 18.7	≤ 24 / 18.7	≤ 6 / 19.7		
Dead zone		Top m/feet (A1)	0.40 / 1.3	0.40 / 0.98	0.25 / 0.49	0/0		
$(\varepsilon_{\rm r} = 80$	))	Bottom m/feet (A2+D)	0.20 / 3.9	0.20 / 3.9   0.20 / 3.9 + length of the fastening gravity weight fastening gravity weight		0.10/ 3.9		
Reference conditions for accuracy			Highly reflecting product (e.g. water), calm surface, mounted at least 0.3 m/ 1.18 feet away from the vessel wall, +20 °C (+68 °F), 1013 mbar abs. (14.5 psig), 65% rel. humidity					
		4 20 mA	± 0.01% related to the measured value					
Error of measur		for liquids	$\pm$ 15 mm (0.05 ft) for L $\leq$ 15 m (50 ft) sensor length or $\pm$ 0.1% of measured value (or 0.05% on special request) for L > 15 m (50 ft) sensor length					
		for solids		± 20 mm (0,07 ft) or ± 5mr	n (0,02 ft) on special request	:		
Temper	rature drift	(HART, Current)		0.01% /K, (	0.5 μΑ / Κ			
Repeat	ability / Hys	steresis		± 2 mm	/ None			
Output			Analogue: 4 20 mA and digital communication: HART (Fault indication: 22 mA)					
Powers	supply	_	18 35 V DC (< 28 V DC with the Ex version)					
		Process	−50 °C+ 600 °C					
Temper	ratures	Flange	-30 °C+ 90 °C up to 200 °C on special request (up to 150 °C for Ex)					
		Ambient	−30 °C+ 55 °C					
Pressur			maximum 16 bar (1.6 MPa), 40 bar (4.0 MPa) on special request					
Dielectr	ric constant	t	$\varepsilon_r \ge 2.3$ $\varepsilon_r \ge 1.8$ $\varepsilon_r \ge 1.5$					
<u>π</u> ε Wire cross section:		maximum 1.5 mm²						
Electric connecti	Wire cross section:  Conduit:		Pg11 (cable gland for cable with 8 10 mm) or M 16 x 1.5 junction box (cable gland for cable with 3.5 8 mm)					
Probe and coating material			Ø 10 mm AISI 316L, Hastelloy, PVC, PVDF	Ø 4 mm, Ø 8 mm AISI 316, 316L, Hastelloy, FEP	Ø 4 mm AISI 316, 316L, Hastelloy, FEP	Ø 28 mm AISI 316L, Hastelloy		
Max. tensile load			1 t	1 t (for Ø 4 mm) 3,5 t (for Ø 8 mm)	1 t	-		
Minimal process connection			DN50 PN25/40 2" ANSI 150 lbs 1" G, 1" NPT	DN50 PN25/40 2" ANSI 150 lbs 1" G, 1" NPT for Ø 4 mm 1"½ G, 1½" NPT for Ø 8 mm	DN50 PN25/40 2" ANSI 150 lbs 2" G, 2" NPT	DN50 PN25/40 2" ANSI 150 lbs 1" G, 1" NPT		
Housing material / mass			Aluminium, paint coated / 2 kg without probe					
Gaskets / displacer			Viton, optional Kalrez 4079 / FEP, others on special order					
Ex approvals			ATEX 1G EEx ia IIC T6T3, ATEX 1G EEx ia IIB T6T3, ATEX 1/2D T100°C EEx ia, FM Class I, II, III DIV 1, Gr. A,B,C,D,F,G, FM Class I A Ex ia IIC T3-T6, Zone 0, JIS					
Ingress protection			IP 65 (NEMA 4)					


#### **APPLICATION**



### **DIMENSIONS**







MONO CABLE AND DIN-CONNECTOR

TWIN CABLE PROBE

**COAXIAL PROBE AND M16-JUNCTION BOX** 


#### **SELECTION**


	COAXIAL	TWIN CABLES	MONO CABLE MONO ROD
MAIN APPLICATIONS	<ul> <li>Tank height ≤ 6 m (20 ft)</li> <li>Solvents, liquefied gases</li> <li>LPG, LNG</li> </ul>	<ul> <li>Tank farms</li> <li>Plastic granule silos</li> <li>LPG, LNG, NH<sub>3</sub>, solvents, oil</li> <li>Water storage tanks</li> </ul>	<ul> <li>Cement, limestone, fly ash, alumina, carbon black</li> <li>All high-viscosity liquids</li> <li>Mineral powders</li> <li>Plastic granule silos</li> </ul>
	FOR CLEAN LIQUIDS	FOR HIGH SILOS OR TANKS WITH LIQUIDS OR GRANULES	FOR CLEAN AND CONTAMINATED LIQUIDS OR FINE POWDERS
RECOMMENDED IN THE FOLLOWING CASES:	<ul> <li>Agitated or flowing liquids – the probe acts as a stilling well</li> <li>Liquid or vapour spray near the probe</li> <li>Can be heated</li> <li>Contact possible with metallic object or tank wall</li> <li>Very low ε<sub>r</sub> liquids</li> </ul>	<ul> <li>Up to 24 m (80 ft)</li> <li>For tanks with little head clearance</li> <li>For small nozzles</li> <li>For low ε<sub>r</sub></li> <li>Close to wall mounting possible</li> </ul>	<ul> <li>For all viscous liquids</li> <li>For stilling wells (calibration required)</li> <li>Crystallizing products with FEP coating</li> <li>Highly conductive foams</li> <li>High temperature applications without spacers</li> </ul>
AVOID:	<ul> <li>Crystallizing liquids</li> <li>Liquids with solid particles</li> <li>Adhesive products</li> <li>Powders</li> <li>Viscous fluids (e.g. crude oil)</li> <li>Product temperature &gt; 150 °C (max. limit with PTFE spacers)</li> </ul>	Agitated liquids without probe anchoring Product temperature > 150 °C (max. limit with optional FEP spacers) Conductive build up bridge on spacers	Small nozzle diameters     High nozzle heights

### **WIRING**

There are two types of connections:

Pluggable DIN connector with 1 pc. Pg11 size cable gland and terminal box with 1 pc. M16 x 1.5 mm<sup>2</sup> size cable gland respectively. Cables are to be connected to points 1 and 2 without mattering of polarity.











SOFTWARE / ACCURACY

For liquid /  $\pm$  15 mm For solids /  $\pm$  15 mm

For liquid /  $\pm$  5 mm For solids /  $\pm$  5 mm For liquid / Ex  $\pm$  15 mm

For solids / Ex  $\pm$  15 mm

For liquid / Ex  $\pm$  5 mm

For solids / Ex  $\pm$  5 mm

2-WIRE

CODE


2

5

6

7





#### ORDER CODES (NOT ALL COMBINATIONS ARE POSSIBLE)

		Micro	TREK	 <u> </u>	- 닏	닏	┦・	Ļ
	000-	Danne		PROCESS	000-		LE	NGTH
	CODE	PROBE	CODE	CONNECTION	CODE	CODE	Rod	Co
Har 2ira	В	Dod	ם	1" DCD		^	0	0.0

Түре	CODE
Transmitter, 2-wire	В
Transmitter, +display 2-wire	С
Transmitter, High temp. 2-wire	D
Transmitter, +display High temp. 2-wire	Е

PROB	CODE	
9	Rod	R
Material: 316	$\varnothing$ 4 mm cable	K
rial	Ø 8 mm cable	L
late	Twin cable	М
N	Coax	N
loy	Rod	Α
Hastelloy	Cable	O
На	Coax	D
ic.	Rod/PVC	Х
Plastic	Rod/PVDF	Υ
Ь	Cable FEP	Z

PROCESS CONNECTION	CODE	Co
1" BSP	0	(
1" NPT	N	1
DN 50 PN 40	1	2
DN 80 PN 16	2	3
DN 100 PN 1	6 <b>3</b>	
DN 150 PN 1	6 <b>5</b>	
2" ANSI	Α	- 6
3" ANSI	В	
4" ANSI	С	
6" ANSI	D	
DN 40 Triclam	np <b>E</b>	
DN 40 Pipe c	. F	
DN 38 SMS	G	

U	UIII	0.0 111	U
1	1 m	0.1 m	1
2	2 m	0.2 m	2
3	3 m	0.3 m	3
4	4 m	0.4 m	4
5	5 m	0.5 m	5
6	6 m	0.6 m	6
		0.7 m	7
		0.8 m	8
		0.9 m	9
	CA	BLE	
0	<b>C</b> A 0 m	BLE 0 m	0
0			1
	0 m	0 m	
1	0 m 10 m	0 m 1 m	1 2 3
1	0 m 10 m	0 m 1 m 2 m	1 2 3 4
1	0 m 10 m	0 m 1 m 2 m 3 m	1 2 3 4 5
1	0 m 10 m	0 m 1 m 2 m 3 m 4 m 5 m 6 m	1 2 3 4 5 6
1	0 m 10 m	0 m 1 m 2 m 3 m 4 m 5 m 6 m 7 m	1 2 3 4 5 6 7
1	0 m 10 m	0 m 1 m 2 m 3 m 4 m 5 m 6 m	1 2 3 4 5 6

CODE

Options:	
Probe sealing gaskets of	KALREZ (instead of standard VITON)
Majahta	

Weights:  $\varnothing$  25 x 100 mm of 1.4571 or Hastelloy (HC276, HC22) for  $\varnothing$  4 mm mono cable

 $\varnothing$  45 x 60 mm of 1.4571 for  $\varnothing$  4 mm twin cable

 $\varnothing$  12 x 1500 mm of 1.4571 for  $\varnothing$  8 mm mono cable (for solids)

 $\varnothing$  40 x 260 mm of 1.4571 for  $\varnothing$  8 mm mono cable

Inactive probe (for mono cable only)

Connecting cable gland type Pg11 ( $\varnothing$ 8...10 mm) or M16x1,5 ( $\varnothing$ 3,5...8 mm)

Approvals: ATEX 1G IIC, IIB; ATEX 1/2D (pulver), FM, JIS

NIVELCO PROCESS CONTROL Co. H - 1043 BUDAPEST, DUGONICS U. 11. TEL.:(36-1) 369-7575 ◆ FAX:(36-1) 369-8585 e-mail: sales@nivelco.com http://www.nivelco.com